




OA DIAGONAL : 519.08 [20.44"] (REF)
 VA DIAGONAL : 501.80 [19.76"] (REF)
 PA DIAGONAL : 473.04 [18.62"] (REF)




LAY UP



DETAIL "A"
 NOT TO SCALE



替代用Housing



NOTES :

1. Tail type : FPC
2. A02: Modify housing name, tail drawing and tail hot bar area
3. A03: Eliminate pin 3 and update Mylar tape shape, etc.

PIN OUT	
5	UR
4	UL
3	NC
2	LL
1	LR

DIMENSIONS		Dano 達諾光電股份有限公司	
MM		TITLE	
TOLERANCES UNLESS OTHERWISE SPECIFIED		Capacitive Touch Sensor	
.X	±	402.59x 327.66 x 7.40	
.XX	±0.76	NOTICE OF PROPRIETARY RIGHTS	
.XXX	±0.38	The document is proprietary property of DanoTech Corp.Ltd.and may not be reproduced or distributed without Danotech authorization.	
ANGLES	±1°	THIRD ANGLE PROJECTION	
THIRD ANGLE PROJECTION		P/N	
DO NOT SCALE DRAWING		F1-19837APA-GL	
SCALE		DRAWN BY	
1 : 1		YC	
REV.		SHEET	
A-03		1 of 1	
CHANGE NOTICE		DRAWN DATE	
DATE		2014-05-16	

REV	CHANGE NOTICE	DATE	DRW
A-03	Eliminate pin 3 and update Mylar tape shape, etc.	2014-05-16	YC
A-02	Modify housing name, tail drawing and tail hot bar area	2012-03-21	YC
A-01	INITIAL RELEASE	2010-03-23	H.Y